

RECORD OF FUNGI.

THE following fungi, additional to the list published in the "Flora of Oxfordshire" (Druce), have been found by Mr. George C. Hughes within a radius of 2 miles from Rousham in Oxfordshire:—

- Amanita magnifica*, Fr.
- Lepiota procera*, var. *rachodes*, Vitt.
 - .. *scutesquamosa*, Wm.
 - .. *Badhami*, Berk.
 - .. *clypeolaria*, Bull.
 - .. *amianthina*, Scop.
- Tricholoma flavo-brunneum*, Fr.
 - .. *albo-brunneum*, Pers.
 - .. *scalpturatus*, Fr.
 - .. " var. *argyraceus*, Bull.
 - .. *imbricatum*, Fr.
 - .. *loricatum*, Fr.
 - .. *amethystinum*, Scop.
 - .. *sordidum*, Fr.
- Clitocybe rivulosa*, Pers.
 - .. *phytophila*, Fr.
 - .. *inversus*, Scop.
- Pleurotus petaloides*, Bull.
 - .. *applicatus*, Batsch.
 - .. *striatulus*, Fr.
 - .. *chioneus*, Pers.
- Collybia longipes*, Bull.
 - .. *platyphylla*, Fr.
 - .. *fusipes*, Bull.
 - .. *tenacellus*, Pers.
 - .. *muscigena*, Schum.
 - .. *coracina*, Fr.
- Mycena ammoniaca*, Fr.
 - .. *debilis*, Fr.
 - .. *sanguinolenta*, A. and S.
 - .. *galopoda*, Fr.
 - .. *vulgaris*, Pers.
 - .. *citrenellus*, Pers.
 - .. *tenerrimus*, Berk.
 - .. *capillaris*, Schum.

- Omphalia fibula*, var. *Swartzii*, Fr.
- Pluteus cervinus*, var. *patricius*, Schelk.
- .. " var. *eximius*, Saund. and Sm.
- .. *nanus*, Pers.
- .. " var. *lutescens*, Fr.
- .. *phlebophorus*, Ditm.
- Entoloma sericeum*, Fr.
- Clitopilus orcella*, Bull.
- Nolanea pisciodora*, Cesati.
- Pholiota unicolor*, Fl. Dan.
- Inocybe asterospora*, Quel.
- Galera hypnorum*, Batsch.
- Agaricus campestris*, var. *pratensis*, Vitt.
 - .. *silvaticus*, Schaeff.
 - .. *haemorrhoidarius*, Schulz.
- Stropharia albo-cyanus*, Desm.
- Hypholoma lacrymans*, Fr.
 - .. *hydrophilus*, Bull.
- Psilocybe semilanceatus*, Fr.
- Psathyra semivestitus*, B. and Br.
- Panaeolus campanulatus*, L.
 - .. *subbalteatus*, B. and Br.
- Coprinus niveus*, Fr.
 - .. *deliquescens*, Fr.
- Bolbitis titubans*, Fr.
- Paxillus atro-tomentosus*, Fr.
- Hygrophorus cossus*, Fr.
 - .. *pratensis*, Fr.
 - .. *niveus*, Fr.
 - .. *ruscocoriaceus*, B. and Br.
 - .. *ovinus*, Fr.
 - .. *punicus*, Fr.
 - .. *chlorophanus*, Fr.
 - .. *calyptroformis*, B. and Br.
- Gomphideus glutinosus*, Fr.
- Lactarius turpis*, Fr.
 - .. *pubescens*, Sch.
 - .. *quietus*, Fr.
 - .. *thelogalus*, Fr.
 - .. *subdulcis*, Fr.
- Russula adusta*, Fr.
 - .. " var. *albo-nigra*, Fr.
 - .. *depallens*, Fr.
 - .. *lepida*, Fr.

Marasmius candidus, Bolt.
 „ *epiphyllus*, Fr.
Boletus badius, Fr.
 „ *piperatus*, Bull.
 „ *radicans*, Krombh.
 „ *aestivalis*, Fr.
 „ *versipellis*, Fr.
Polyporus giganteus, Fr.
 „ *Rostkovii*, Fr.
 „ *picipes*, Fr.
 „ *chioneus*, Fr.
 „ *caesius*, Fr.
 „ *adustus*, Fr.
 „ *dryadeus*, Fr.
Fomes fomentarius, Fr.
 „ *fulvus*, Fr.
Polystictis radiatus, Fr.
 „ *abietinus*, Fr.
Daedalea aurea, Fr.
 „ *latissima*, Fr.
Merulius laeticolor, B. and Br.
Hydnum sordidum, Weinm.
 „ *farinaceum*, Pers.
Thelephora laciniata, Pers.
Stereum ochroleucum, Fr.
Corticium sambuci, Fr.
Cyphella Pini, Phöll.
 „ *capula*, Fr.
 „ *muscipena*, Fr.
 „ *villosa*, Karst.
Clavaria cinerea, Boll.
 „ *stricta*, Pers.
Calocera viscosa, Fr.
Tremella sarcoides, Sm.
Naematelia virescens, Corda.
Dacryomyces torta, Mass.
Mutinus caninus, Fr.
Lycoperdon perlatum, Pers.
 „ *plumbeum*, Pers.
Bispora monilioides, Corda.
Puccinia coronata, Corda.
 „ *syngenesiarum*, Lk.
 „ *buxi*, D.C.
Urocystis violae, B. and Br.

Cystopus candidus, Lev.
Tuberularia vulgaris, Tode.
Oideum leucoconium, Desm.
 „ *Tuckeri*, Berk.
 „ *monilioides*, Thom.
Trichothedum roseum, Lk.
Cylindrium flavo-virens, Bon.
Zygodesmus fuscus, Corda.
Sepedoneum chrysospermum, Fr.
Syzygites megalocarpus, Ehrh.
Cyathicula coronata, Bull.
Humaria humosa, Fr.
Otidea leporina, Batsch

GEORGE C. HUGHES.