

| All species in order of threat, Local status first, for Administrative Oxfordshire | | | | |
|--|-----------------------------------|--------------------------|-----------------|----------|
| England Status (not complete) | Latin name | English name | Oxon status | Author |
| Critically Endangered | <i>Galeopsis angustifolia</i> | Red Hemp-nettle | RPR | CRL |
| Critically Endangered | <i>Mentha pulegium</i> | Pennyroyal | RPR | SEE |
| Critically Endangered | <i>Viola persicifolia</i> | Fen Violet | RPR | CRL |
| Critically Endangered | <i>Galium tricorutum</i> | Corn Cleavers | Ext. Re-introd. | CRL |
| Endangered | <i>Adonis annua</i> | Pheasant's-eye | RPR | JHW, CRL |
| Endangered | <i>Anthemis arvensis</i> | Corn Chamomile | RPR | SEE |
| Endangered | <i>Apium repens</i> | Creeping Marshwort | RPR | CRL |
| Endangered | <i>Astragalus danicus</i> | Purple Milk-vetch | RPR | CRL |
| Endangered | <i>Campanula rapunculus</i> | Rampion Bellflower | RPR | SEE |
| Endangered | <i>Filago pyramidata</i> | Broad-leaved Cudweed | RPR | HJK |
| Endangered | <i>Fumaria vaillantii</i> | Few-flowered Fumitory | RPR | HJK |
| Endangered | <i>Galium pumilum</i> | Slender Bedstraw | RPR | HJK |
| Endangered | <i>Gnaphalium sylvaticum</i> | Heath Cudweed | RPR | CRL |
| Endangered | <i>Hypopitys monotropa</i> | Yellow Bird's-nest | RPR | SEE |
| Endangered | <i>Lithospermum arvense</i> | Corn Gromwell | RPR | HJK |
| Endangered | <i>Lythrum hyssopifolium</i> | Grass-poly | RPR | CRL |
| Endangered | <i>Neotinea ustulata</i> | Burnt Orchid | RPR | CRL |
| Endangered | <i>Orchis anthropophorum</i> | Man Orchid | RPR | CRL |
| Endangered | <i>Papaver argemone</i> | Prickly Poppy | RPR | SEE |
| Endangered | <i>Platanthera bifolia</i> | Lesser Butterfly-orchid | RPR | SEE |
| Endangered | <i>Ranunculus arvensis</i> | Corn Buttercup | RPR | SEE |
| Endangered | <i>Scandix pecten-veneris</i> | Shepherd's-needle | RPR | SEE |
| Endangered | <i>Scleranthus annuus</i> | Annual Knawel | RPR | SEE |
| Endangered | <i>Silene conica</i> | Sand Catchfly | RPR | HJK |
| Endangered | <i>Sium latifolium</i> | Greater Water-parsnip | RPR | CRL |
| Endangered | <i>Stachys germanica</i> | Downy Woundwort | RPR | CRL |
| Endangered | <i>Torilis arvensis</i> | Spreading Hedge-parsley | RPR | CRL |
| Endangered | <i>Valerianella dentata</i> | Narrow-fruited Cornsalad | RPR | SEE |
| Endangered | <i>Valerianella rimosa</i> | Broad-fruited Cornsalad | RPR | CRL |
| Vulnerable | <i>Anacamptis morio</i> | Green-winged Orchid | RPR | CRL |
| Vulnerable | <i>Apium inundatum</i> | Lesser Marshwort | RPR | CRL |
| Vulnerable | <i>Baldellia ranunculoides</i> | Lesser Water-plantain | RPR | CRL |
| Vulnerable | <i>Blysmus compressus</i> | Flat-sedge | RPR | CRL |
| Vulnerable | <i>Carex vesicaria</i> | Bladder-sedge | RPR | HJK |
| Vulnerable | <i>Carex vulpina</i> | True Fox-sedge | RPR | CRL |
| Vulnerable | <i>Catabrosa aquatica</i> | Water Whorl-grass | RPR | CRL |
| Vulnerable | <i>Cephalanthera damasonium</i> | White Helleborine | RPR | CRL |
| Vulnerable | <i>Chenopodium bonus-henricus</i> | Good-King-Henry | RPR | CRL |
| Vulnerable | <i>Clinopodium acinos</i> | Basil Thyme | RPR | SEE |
| Vulnerable | <i>Coeloglossum viride</i> | Frog Orchid | RPR | SEE |
| Vulnerable | <i>Cuscuta epithymum</i> | Dodder | RPR | JHW |
| Vulnerable | <i>Daphne mezereum</i> | Mezereon | RPR | JHW |
| Vulnerable | <i>Dianthus deltoides</i> | Maiden Pink | RPR | SEE |
| Vulnerable | <i>Eriophorum angustifolium</i> | Common Cottongrass | RPR | SEE |
| Vulnerable | <i>Euphorbia exigua</i> | Dwarf Spurge | RPR | JHW |
| Vulnerable | <i>Fallopia dumetorum</i> | Copse-bindweed | RPR | CRL |

| | | | | |
|-----------------|--|--------------------------|-----|----------|
| Vulnerable | <i>Genista tinctoria</i> | Dyer's Greenweed | RPR | CRL |
| Vulnerable | <i>Gentianella germanica</i> | Chiltern Gentian | RPR | CRL |
| Vulnerable | <i>Glebionis segetum</i> | Corn Marigold | RPR | CRL |
| Vulnerable | <i>Groenlandia densa</i> | Opposite-leaved Pondweed | RPR | CRL |
| Vulnerable | <i>Hottonia palustris</i> | Water-violet | RPR | CRL |
| Vulnerable | <i>Hydrocharis morsus-ranae</i> | Frogbit | RPR | SEE |
| Vulnerable | <i>Hyoscyamus niger</i> | Henbane | RPR | SEE |
| Vulnerable | <i>Hypochaeris glabra</i> | Smooth Cat's-ear | RPR | CRL |
| Vulnerable | <i>Iberis amara</i> | Wild Candytuft | RPR | CRL |
| Vulnerable | <i>Juncus compressus</i> | Round-fruited Rush | RPR | HJK |
| Vulnerable | <i>Microthlaspi perfoliatum</i> | Perfoliate Penny-cress | RPR | SEE |
| Vulnerable | <i>Misopates orontium</i> | Weasel's-snout | RPR | CRL |
| Vulnerable | <i>Moenchia erecta</i> | Upright Chickweed | RPR | HJK |
| Vulnerable | <i>Myosurus minimus</i> | Mousetail | RPR | SEE |
| Vulnerable | <i>Neottia nidus-avis</i> | Bird's-nest Orchid | RPR | CRL |
| Vulnerable | <i>Nepeta cataria</i> | Cat-mint | RPR | HJK |
| Vulnerable | <i>Oenanthe fistulosa</i> | Tubular Water-dropwort | RPR | CRL |
| Vulnerable | <i>Onobrychis viciifolia</i> | Sainfoin | RPR | SEE |
| Vulnerable | <i>Ophrys insectifera</i> | Fly Orchid | RPR | SEE |
| Vulnerable | <i>Orchis militaris</i> | Military Orchid | RPR | CRL |
| Vulnerable | <i>Orchis purpurea</i> | Lady Orchid | RPR | CRL |
| Vulnerable | <i>Orchis simia</i> | Monkey Orchid | RPR | CRL |
| Vulnerable | <i>Parnassia palustris</i> | Grass-of-Parnassus | RPR | CRL |
| Vulnerable | <i>Pedicularis palustris</i> | Marsh Lousewort | RPR | SEE |
| Vulnerable | <i>Pedicularis sylvatica</i> | Lousewort | RPR | SEE |
| Vulnerable | <i>Persicaria mitis</i> | Tasteless Water-pepper | RPR | CRL |
| Vulnerable | <i>Pinguicula vulgaris</i> | Common Butterwort | RPR | SEE |
| Vulnerable | <i>Pulsatilla vulgaris</i> | Pasqueflower | RPR | KW |
| Vulnerable | <i>Silene noctiflora</i> | Night-flowering Catchfly | RPR | HJK |
| Vulnerable | <i>Spergula arvensis</i> | Corn Spurrey | RPR | SEE |
| Vulnerable | <i>Stellaria palustris</i> | Marsh Stitchwort | RPR | CRL |
| Vulnerable | <i>Tephrosieris integrifolia</i> | Field Fleawort | RPR | SEE |
| Vulnerable | <i>Trifolium fragiferum</i> | Strawberry clover | RPR | HJK, SEE |
| Vulnerable | <i>Vicia parviflora</i> | Slender Tare | RPR | CRL |
| Vulnerable | <i>Viola canina</i> | Heath Dog-violet | RPR | SEE |
| Near Threatened | <i>Arabis hirsuta</i> | Hairy Rock-cress | RPR | SEE |
| Near Threatened | <i>Bromus secalinus</i> | Rye Brome | RPR | CRL |
| Near Threatened | <i>Calluna vulgaris</i> | Heather | RPR | HJK |
| Near Threatened | <i>Carex echinata</i> | Star Sedge | RPR | HJK |
| Near Threatened | <i>Carex elata</i> | Tufted-sedge | RPR | HJK |
| Near Threatened | <i>Carex muricata</i> ssp. <i>muricata</i> | Prickly Sedge | RPR | HJK |
| Near Threatened | <i>Carex pulicaris</i> | Flea Sedge | RPR | HJK |
| Near Threatened | <i>Carlina vulgaris</i> | Carline Thistle | RPR | to do |
| Near Threatened | <i>Cynoglossum germanicum</i> | Green Hound's-tongue | RPR | CRL |
| Near Threatened | <i>Cynoglossum officinale</i> | Hound's-tongue | RPR | CRL, SEE |
| Near Threatened | <i>Epipactis palustris</i> | Marsh Helleborine | RPR | SEE |
| Near Threatened | <i>Erica cinerea</i> | Bell-heather | RPR | JHW |
| Near Threatened | <i>Erica tetralix</i> | Cross-leaved Heather | RPR | JHW |
| Near Threatened | <i>Filago minima</i> | Small Cudweed | RPR | HJK |

| | | | | |
|-----------------------|--|------------------------------|-----------------|----------|
| Near Threatened | <i>Filago vulgaris</i> | Common Cudweed | RPR | SEE |
| Near Threatened | <i>Hydrocotyle vulgaris</i> | Marsh Pennywort | RPR | HJK |
| Near Threatened | <i>Inula helenium</i> | Elecampane | RPR | CRL |
| Near Threatened | <i>Juniperus communis</i> | Juniper | RPR | CRL |
| Near Threatened | <i>Lathyrus linifolius</i> | Bitter-vetch | RPR | HJK, JHW |
| Near Threatened | <i>Myriophyllum verticillatum</i> | Whorled Water-milfoil | RPR | CRL |
| Near Threatened | <i>Oenanthe lachenalii</i> | Parsley Water-dropwort | RPR | CRL |
| Near Threatened | <i>Ononis spinosa</i> | Spiny Restharrow | RPR | SEE |
| Near Threatened | <i>Polygala serpyllifolia</i> | Heath Milkwort | RPR | JHW |
| Near Threatened | <i>Potentilla argentea</i> | Hoary Cinquefoil | RPR | SEE |
| Near Threatened | <i>Prunus cerasus</i> | Dwarf Cherry | RPR | HJK |
| Near Threatened | <i>Salvia pratensis</i> | Meadow Clary | RPR | CRL |
| Near Threatened | <i>Salvia verbenaca</i> | Wild Clary | RPR | CRL |
| Near Threatened | <i>Solidago virgaurea</i> | Goldenrod | RPR | CRL |
| Near Threatened | <i>Spiranthes spiralis</i> | Autumn Lady's-tresses | RPR | CRL |
| Near Threatened | <i>Stachys arvensis</i> | Field Woundwort | RPR | SEE |
| Near Threatened | <i>Teesdalia nudicaulis</i> | Shepherd's Cress | RPR | SEE |
| Near Threatened | <i>Triglochin palustre</i> | Marsh Arrow-grass | RPR | CRL |
| Near Threatened | <i>Valeriana dioica</i> | Marsh Valerian | RPR | SEE |
| Near Threatened | <i>Veronica scutellata</i> | Marsh Speedwell | RPR | CRL |
| Near Threatened | <i>Viola tricolor</i> | Wild Pansy | RPR | CRL |
| European Protected | <i>Gentianella anglica</i> | Early Gentian | RPR | HJK SEE |
| GB Rare | <i>Carex filiformis</i> | Downy-fruited Sedge | RPR | HJK |
| GB Scarce | <i>Fritillaria meleagris</i> | Snake's-head Fritillary | RPR | CRL |
| GB Scarce | <i>Hordelymus europaeus</i> | Wood Barley | RPR | CRL, SEE |
| GB Scarce | <i>Leucojum aestivum</i> | Summer Snowflake | RPR | CRL |
| GB Scarce | <i>Potamogeton coloratus</i> | Fen Pondweed | RPR | HJK |
| GB Scarce | <i>Vulpia unilateralis</i> | Mat-grass Fescue | RPR | HJK |
| GB Red List Nr Threat | <i>Colchicum autumnale</i> | Autumn Crocus | RPR | CRL |
| Introduced since 1500 | <i>Apera interrupta</i> | Dense Silky-bent | RPR | HJK, SEE |
| Introduced since 1500 | <i>Pyrus pyraeaster</i> | Wild Pear | RPR | HJK |
| Introduced since 1500 | <i>Veronica praecox</i> | Breckland Speedwell | RPR | CRL |
| Introduced since 1500 | <i>Aristolochia clematitis</i> | Birthwort | RPR Iconic | CRL |
| Introduced since 1500 | <i>Senecio sarraceniis</i> | Broad-leaved Ragwort | RPR Iconic | HJK |
| Introduced since 1500 | <i>Tulipa sylvestris</i> | Wild Tulip | RPR Iconic | SEE |
| Waiting List | <i>Muscari neglectum</i> | Grape-hyacinth | RPR | CRL |
| Waiting List | <i>Vicia sativa</i> ssp. <i>nigra</i> | Narrow-leaved Vetch | RPR | HJK |
| Waiting List | <i>Vicia sativa</i> ssp. <i>sativa</i> | Common Vetch | RPR | HJK |
| Waiting List | <i>Agrostemma githago</i> | Corncockle | Intr since 1992 | HJK |
| Least Concern | <i>Adiantum capillus-veneris</i> | Maidenhair Fern | RPR | CRL |
| Least Concern | <i>Agrostis canina</i> | Velvet Bent | RPR | HJK |
| Least Concern | <i>Agrostis curtisii</i> | Bristle Bent | RPR | HJK |
| Least Concern | <i>Agrostis vinealis</i> | Brown Bent | RPR | CRL |
| Least Concern | <i>Aira caryophyllea</i> | Silver Hair-grass | RPR | HJK |
| Least Concern | <i>Aira praecox</i> | Early Hair-grass | RPR | HJK |
| Least Concern | <i>Alchemilla filicaulis</i> | Hairy Lady's-mantle | RPR | SEE |
| Least Concern | <i>Alisma lanceolatum</i> | Narrow-leaved Water-plantain | RPR | SEE |
| Least Concern | <i>Alopecurus aequalis</i> | Orange Foxtail | RPR | HJK |
| Least Concern | <i>Anagallis foemina</i> | Blue Pimpernel | RPR | SEE |

| | | | | |
|---------------|--|-----------------------------------|-----|----------|
| Least Concern | <i>Anagallis tenella</i> | Bog Pimpernel | RPR | SEE |
| Least Concern | <i>Anthriscus caucalis</i> | Bur Chervil | RPR | SEE |
| Least Concern | <i>Apera spica-venti</i> | Loose Silky-bent | RPR | CRL |
| Least Concern | <i>Aphanes australis</i> | Slender Parsley-piert | RPR | SEE |
| Least Concern | <i>Apium graveolens</i> | Wild Celery | RPR | SEE |
| Least Concern | <i>Artemisia absinthium</i> | Wormwood | RPR | CRL |
| Least Concern | <i>Berberis vulgaris</i> | Barberry | RPR | CRL |
| Least Concern | <i>Bidens cernua</i> | Nodding Bur-marigold | RPR | CRL |
| Least Concern | <i>Blechnum spicant</i> | Hard-fern | RPR | HJK |
| Least Concern | <i>Bolboschoenus maritimus</i> | Sea Club-rush | RPR | HJK |
| Least Concern | <i>Calamagrostis canescens</i> | Purple Small-reed | RPR | HJK |
| Least Concern | <i>Callitriche brutia</i> | Intermediate Water-starwort | RPR | HJK |
| Least Concern | <i>Callitriche obtusangula</i> | Blunt-fruited Water-starwort | RPR | HJK |
| Least Concern | <i>Campanula latifolia</i> | Giant Bellflower | RPR | CRL |
| Least Concern | <i>Carduus tenuiflorus</i> | Slender Thistle | RPR | CRL |
| Least Concern | <i>Carex binervis</i> | Green-ribbed Sedge | RPR | HJK |
| Least Concern | <i>Carex demissa</i> | Common Yellow-sedge | RPR | HJK |
| Least Concern | <i>Carex dioica</i> | Dioecious Sedge | RPR | HJK |
| Least Concern | <i>Carex distans</i> | Distant Sedge | RPR | HJK |
| Least Concern | <i>Carex divulsa</i> ssp. <i>leersii</i> | Leers' Sedge | RPR | HJK |
| Least Concern | <i>Carex hostiana</i> | Tawny Sedge | RPR | HJK |
| Least Concern | <i>Carex lepidocarpa</i> | Long-stalked Yellow-sedge | RPR | HJK |
| Least Concern | <i>Carex oederi</i> | Small-fruited Yellow-sedge | RPR | HJK |
| Least Concern | <i>Carex pallescens</i> | Pale Sedge | RPR | HJK |
| Least Concern | <i>Carex rostrata</i> | Bottle Sedge | RPR | HJK |
| Least Concern | <i>Carex strigosa</i> | Thin-spiked Wood-sedge | RPR | HJK |
| Least Concern | <i>Centaurea cyanus</i> | Cornflower | RPR | SEE |
| Least Concern | <i>Centaureum pulchellum</i> | Lesser Centaury | RPR | SEE |
| Least Concern | <i>Cerastium pumilum</i> | Dwarf Mouse-ear | RPR | HJK |
| Least Concern | <i>Ceratocapnos claviculata</i> | Climbing Corydalis | RPR | HJK |
| Least Concern | <i>Chenopodium ficifolium</i> | Fig-leaved Goosefoot | RPR | CRL |
| Least Concern | <i>Chenopodium hybridum</i> | Maple-leaved Goosefoot | RPR | CRL |
| Least Concern | <i>Chrysosplenium alternifolium</i> | Alternate-leaved Golden-saxifrage | RPR | HJK |
| Least Concern | <i>Cirsium dissectum</i> | Meadow Thistle | RPR | SEE |
| Least Concern | <i>Clinopodium calamintha</i> | Lesser Calamint | RPR | SEE |
| Least Concern | <i>Cuscuta europaea</i> | Greater Dodder | RPR | JHW, CRL |
| Least Concern | <i>Dactylorhiza traunsteinerioides</i> | Narrow-leaved Marsh-orchid | RPR | SEE |
| Least Concern | <i>Descurainia sophia</i> | Flixweed | RPR | SEE |
| Least Concern | <i>Diploxys tenuifolia</i> | Perennial Wall-rocket | RPR | CRL |
| Least Concern | <i>Dipsacus pilosus</i> | Small Teasel | RPR | SEE |
| Least Concern | <i>Drosera rotundifolia</i> | Round-leaved Sundew | RPR | HJK |
| Least Concern | <i>Eleocharis quinqueflora</i> | Few-flowered Spike-rush | RPR | HJK |
| Least Concern | <i>Eleocharis uniglumis</i> | Slender Spike-rush | RPR | HJK |
| Least Concern | <i>Epilobium palustre</i> | Marsh Willowherb | RPR | CRL |
| Least Concern | <i>Epilobium roseum</i> | Pale Willowherb | RPR | HJK |
| Least Concern | <i>Epipactis leptochila</i> | Narrow-lipped Helleborine | RPR | CRL |
| Least Concern | <i>Epipactis phyllanthes</i> | Green-flowered Helleborine | RPR | CRL |
| Least Concern | <i>Equisetum variegatum</i> | Variiegated Horsetail | RPR | CRL |

| | | | | |
|---------------|--|-----------------------------------|------------|----------|
| Least Concern | <i>Eriophorum latifolium</i> | Broad-leaved Cottongrass | RPR | SEE |
| Least Concern | <i>Euphorbia platyphyllos</i> | Broad-leaved Spurge | RPR | HJK |
| Least Concern | <i>Festuca filiformis</i> | Fine-leaved Sheep's-fescue | RPR | CRL |
| Least Concern | <i>Frangula alnus</i> | Alder Buckthorn | RPR | SEE |
| Least Concern | <i>Fumaria capreolata</i> | White Ramping-fumitory | RPR | HJK |
| Least Concern | <i>Fumaria muralis</i> | Common Ramping-fumitory | RPR | HJK |
| Least Concern | <i>Gagea lutea</i> | Yellow Star-of-Bethlehem | RPR | CRL |
| Least Concern | <i>Galeopsis bifida</i> | Bifid Hemp-nettle | RPR | CRL |
| Least Concern | <i>Geum rivale</i> | Water Avens | RPR | SEE |
| Least Concern | <i>Glyceria declinata</i> | Small Sweet-grass | RPR | HJK |
| Least Concern | <i>Gymnadenia conopsea</i> | Fragrant-orchid | RPR | CRL |
| Least Concern | <i>Gymnadenia densiflora</i> | Marsh Fragrant-orchid | RPR | CRL |
| Least Concern | <i>Gymnocarpium robertianum</i> | Limestone Fern | RPR intr ? | HJK |
| Least Concern | <i>Himantoglossum hircinum</i> | Lizard Orchid | RPR | CRL |
| Least Concern | <i>Hypericum montanum</i> | Pale St John's-wort | RPR | SEE |
| Least Concern | <i>Juncus bulbosus</i> | Bulbous Rush | RPR | JHW, CRL |
| Least Concern | <i>Juncus squarrosus</i> | Heath Rush | RPR | CRL |
| Least Concern | <i>Lemna gibba</i> | Fat Duckweed | RPR | SEE |
| Least Concern | <i>Lepidium ruderale</i> | Narrow-leaved Pepperwort | RPR | SEE |
| Least Concern | <i>Limosella aquatica</i> | Mudwort | RPR | CRL |
| Least Concern | <i>Lotus tenuis</i> | Narrow-leaved Bird's-foot-trefoil | RPR | HJK |
| Least Concern | <i>Luzula sylvatica</i> | Great Wood-rush | RPR | HJK JHW |
| Least Concern | <i>Lythrum portula</i> | Water-purslane | RPR | HJK |
| Least Concern | <i>Medicago polymorpha</i> | Toothed Medick | RPR | SEE |
| Least Concern | <i>Medicago sativa</i> ssp. <i>falcata</i> | Sickle Medick | RPR | HJK |
| Least Concern | <i>Melampyrum pratense</i> | Common Cow-wheat | RPR | JHW |
| Least Concern | <i>Menyanthes trifoliata</i> | Bog-bean | RPR | HJK |
| Least Concern | <i>Molinia caerulea</i> | Purple Moor-grass | RPR | HJK |
| Least Concern | <i>Montia fontana</i> | Blinks | RPR | HJK |
| Least Concern | <i>Narcissus pseudonarcissus</i> ssp. <i>pseudonarcissus</i> | Daffodil | RPR | CRL |
| Least Concern | <i>Nymphoides peltata</i> | Fringed Water-lily | RPR | CRL |
| Least Concern | <i>Oenanthe aquatica</i> | Fine-leaved Water-dropwort | RPR | CRL |
| Least Concern | <i>Oenanthe fluviatilis</i> | River Water-dropwort | RPR | HJK |
| Least Concern | <i>Oenanthe silaifolia</i> | Narrow-leaved Water-dropwort | RPR | CRL |
| Least Concern | <i>Oreopteris limbosperma</i> | Lemon-scented Fern | RPR | CRL |
| Least Concern | <i>Ornithopus perpusillus</i> | Bird's-foot | RPR | SEE |
| Least Concern | <i>Orobanche hederaceae</i> | Ivy-broomrape | RPR | HJK |
| Least Concern | <i>Papaver hybridum</i> | Rough Poppy | RPR | HJK |
| Least Concern | <i>Pimpinella major</i> | Greater Burnet-saxifrage | RPR | HJK |
| Least Concern | <i>Poa angustifolia</i> | Narrow-leaved Meadow-grass | RPR | CRL |
| Least Concern | <i>Poa humilis</i> | Spreading Meadow-grass | RPR | CRL |
| Least Concern | <i>Poa infirma</i> | Early Meadow-grass | RPR | HJK |
| Least Concern | <i>Polygala calcarea</i> | Chalk Milkwort | RPR | SEE |
| Least Concern | <i>Polygonum rurivagum</i> | Cornfield Knotgrass | RPR | SEE |
| Least Concern | <i>Polypodium interjectum</i> | Intermediate Polypody | RPR | CRL |
| Least Concern | <i>Potamogeton lucens</i> | Shining Pondweed | RPR | CRL |
| Least Concern | <i>Potamogeton pusillus</i> | Lesser Pondweed | RPR | CRL |
| Least Concern | <i>Potamogeton trichoides</i> | Thread-leaved Pondweed | RPR | CRL |
| Least Concern | <i>Potentilla anglica</i> | Trailing Tormentil | RPR | SEE |

| | | | | |
|-----------------|---------------------------------------|------------------------------|-------------|----------|
| Least Concern | <i>Ranunculus circinatus</i> | Fan-leaved Water-crowfoot | RPR | HJK |
| Least Concern | <i>Ranunculus fluitans</i> | River Water-crowfoot | RPR | HJK |
| Least Concern | <i>Ranunculus hederaceus</i> | Ivy-leaved Crowfoot | RPR | HJK |
| Least Concern | <i>Ranunculus lingua</i> | Greater Spearwort | RPR | SEE |
| Least Concern | <i>Ranunculus parviflorus</i> | Small-flowered Buttercup | RPR | SEE |
| Least Concern | <i>Ranunculus peltatus</i> | Pond Water-crowfoot | RPR | HJK |
| Least Concern | <i>Ranunculus sardous</i> | Hairy Buttercup | RPR | SEE |
| Least Concern | <i>Ranunculus trichophyllus</i> | Thread-leaved Water-crowfoot | RPR | HJK |
| Least Concern | <i>Rumex palustris</i> | Marsh Dock | RPR | HJK |
| Least Concern | <i>Sagina apetala</i> | Annual Pearlwort | RPR | SEE |
| Least Concern | <i>Salix aurita</i> | Eared Willow | RPR | SEE |
| Least Concern | <i>Salix myrsinifolia</i> | Dark-leaved Willow | RPR | CRL |
| Least Concern | <i>Sambucus ebulus</i> | Dwarf Elder | RPR | HJK |
| Least Concern | <i>Samolus valerandi</i> | Brookweed | RPR | SEE |
| Least Concern | <i>Schoenoplectus tabernaemontani</i> | Grey Club-rush | RPR | CRL |
| Least Concern | <i>Schoenus nigricans</i> | Black Bog-rush | RPR | SEE |
| Least Concern | <i>Scirpus sylvaticus</i> | Wood Club-rush | RPR | HJK |
| Least Concern | <i>Senecio sylvaticus</i> | Heath Groundsel | RPR | SEE |
| Least Concern | <i>Serratula tinctoria</i> | Saw-wort | RPR | SEE |
| Least Concern | <i>Smyrniolum olusatrum</i> | Alexanders | RPR | HJK |
| Least Concern | <i>Spergularia rubra</i> | Sand Spurrey | RPR | JHW, SEE |
| Least Concern | <i>Spirodela polyrhiza</i> | Greater Duckweed | RPR | HJK |
| Least Concern | <i>Stellaria pallida</i> | Lesser Chickweed | RPR | SEE |
| Least Concern | <i>Thesium humifusum</i> | Bastard Toadflax | RPR | SEE |
| Least Concern | <i>Tilia cordata</i> | Small-leaved Lime | RPR | SEE |
| Least Concern | <i>Trifolium arvense</i> | Hare's-foot Clover | RPR | CRL |
| Least Concern | <i>Trifolium scabrum</i> | Rough Clover | RPR | SEE |
| Least Concern | <i>Trifolium striatum</i> | Knotted Clover | RPR | SEE |
| Least Concern | <i>Trifolium subterraneum</i> | Subterranean Clover | RPR | HJK |
| Least Concern | <i>Ulex gallii</i> | Western Gorse | RPR | CRL |
| Least Concern | <i>Ulex minor</i> | Dwarf Gorse | RPR | CRL |
| Least Concern | <i>Umbilicus rupestris</i> | Wall Pennywort | RPR | SEE |
| Least Concern | <i>Utricularia australis</i> | Bladderwort | RPR | CRL |
| Least Concern | <i>Utricularia vulgaris</i> | Greater Bladderwort | RPR | SEE |
| Least Concern | <i>Vicia lathyroides</i> | Spring Vetch | RPR | HJK |
| Least Concern | <i>Zannichellia palustris</i> | Horned Pondweed | RPR | SEE |
| Vulnerable | <i>Anthemis cotula</i> | Stinking Chamomile | not studied | CRL |
| Vulnerable | <i>Cichorium intybus</i> | Chicory | not studied | to do |
| Vulnerable | <i>Ranunculus flammula</i> | Lesser Spearwort | not studied | to do |
| Near Threatened | <i>Briza media</i> | Quaking Grass | not studied | to do |
| Near Threatened | <i>Campanula rotundifolia</i> | Harebell | not studied | to do |
| Near Threatened | <i>Cerastium arvense</i> | Field Mouse-ear | not studied | CRL |
| Near Threatened | <i>Cruciata laevipes</i> | Crosswort | not studied | to do |
| Near Threatened | <i>Erysimum cheiranthoides</i> | Treacle-mustard | not studied | to do |
| Near Threatened | <i>Fragaria vesca</i> | Wild Strawberry | not studied | CRL |
| Near Threatened | <i>Gentianella amarella</i> | Autumn Gentian | not studied | to do |
| Near Threatened | <i>Helianthemum nummularium</i> | Rock-rose | not studied | to do |
| Near Threatened | <i>Knautia arvensis</i> | Field Scabious | not studied | to do |

| | | | | |
|-----------------------|--|---------------------------|----------------|-------|
| Near Threatened | <i>Lepidium campestre</i> | Field Pepperwort | not studied | CRL |
| Near Threatened | <i>Mentha arvensis</i> | Corn Mint | not studied | to do |
| Near Threatened | <i>Oxalis acetosella</i> | Wood-sorrel | not studied | to do |
| Near Threatened | <i>Plantago media</i> | Hoary Plantain | not studied | CRL |
| Near Threatened | <i>Potentilla erecta</i> | Tormentil | not studied | to do |
| Near Threatened | <i>Sanicula europaea</i> | Sanicle | not studied | to do |
| Near Threatened | <i>Senecio aquaticus</i> | Marsh Ragwort | not studied | to do |
| Near Threatened | <i>Silene flos-cuculi</i> | Ragged-robin | not studied | to do |
| Near Threatened | <i>Succisa pratensis</i> | Devil's-bit Scabious | not studied | to do |
| Near Threatened | <i>Valeriana officinalis</i> | Common Valerian | not studied | to do |
| Near Threatened | <i>Veronica officinalis</i> | Heath Speedwell | not studied | to do |
| Waiting List | <i>Aethusa cynapium</i> ssp. <i>agrestis</i> | Fool's Parsley | not studied | CRL |
| Vulnerable | <i>Genista anglica</i> | Petty Whin | unconfirmed | CRL |
| Least Concern | <i>Myosotis secunda</i> | Creeping Forget-me-not | unconfirmed | CRL |
| Least Concern | <i>Lepidium latifolium</i> | Dittander | Last in 1997 | HJK |
| Endangered | <i>Minuartia hybrida</i> | Fine-leaved Sandwort | Last in 1997 | HJK |
| Least Concern | <i>Draba muralis</i> | Wall Whitlowgrass | Last in 1996 | CRL |
| Least Concern | <i>Cerastium diffusum</i> | Sea Mouse-ear | Last in 1995 | HJK |
| Least Concern | <i>Cystopteris fragilis</i> | Brittle Bladder-fern | Last in 1995 | CRL |
| Least Concern | <i>Epilobium lanceolatum</i> | Spear-leaved Willowherb | Last in 1995 | HJK |
| Vulnerable | <i>Jasione montana</i> | Sheep's-bit | Last in 1995 | SEE |
| Near Threatened | <i>Salix repens</i> | Creeping Willow | Last in 1995 | HJK |
| Least Concern | <i>Rumex maritimus</i> | Golden Dock | Last in 1993 | CRL |
| Near Threatened | <i>Fumaria parviflora</i> | Fine-leaved Fumitory | Last in 1992 | HJK |
| Least Concern | <i>Bromopsis benekenii</i> | Lesser Hairy-brome | Last in 1992 | CRL |
| Least Concern | <i>Marrubium vulgare</i> | White Horehound | Last in 1992 | CRL |
| Least Concern | <i>Persicaria minor</i> | Small Water-pepper | Last pre-1990 | CRL |
| Least Concern | <i>Alchemilla xanthochlora</i> | Pale Lady's-mantle | Last in 1988 | CRL |
| Least Concern | <i>Cladium mariscus</i> | Great Fen-sedge | Last in 1988 | HJK |
| Vulnerable | <i>Lathyrus aphaca</i> | Yellow Vetchling | Last in 1988 | CRL |
| Near Threatened | <i>Nardus stricta</i> | Mat-grass | Last in 1988 | CRL |
| Least Concern | <i>Vicia sylvatica</i> | Wood Vetch | Last in 1988 | HJK |
| Critically Endangered | <i>Carum carvi</i> | Caraway | Last in 1987 | HJK |
| Endangered | <i>Chenopodium murale</i> | Nettle-leaved Goosefoot | Last in 1985 | CRL |
| Vulnerable | <i>Sagina nodosa</i> | Knotted Pearlwort | Last in 1985 | SEE |
| Vulnerable | <i>Galeopsis speciosa</i> | Large-flowered Hempnettle | Last in 1984 | CRL |
| Endangered | <i>Centunculus minimus</i> | Chaff-weed | Last in 1983 | CRL |
| Vulnerable | <i>Chamaemelum nobile</i> | Chamomile | Last in 1983 | CRL |
| Least Concern | <i>Lepidium heterophyllum</i> | Smith's Pepperwort | Last in 1983 | CRL |
| Endangered | <i>Dianthus armeria</i> | Deptford Pink | Last in 1981 | CRL |
| Endangered | <i>Turritis glabra</i> | Tower Mustard | Last in 1981 | CRL |
| Least Concern | <i>Dactylorhiza purpurella</i> | Northern Marsh-orchid | 2 records 1981 | CRL |
| Least Concern | <i>Eleogiton fluitans</i> | Floating Club-rush | Last in 1980s | CRL |
| Critically Endangered | <i>Bupleurum rotundifolium</i> | Thorow-wax | Last in 1979 | CRL |
| Endangered | <i>Potamogeton compressus</i> | Grass-wrack Pondweed | Last in 1979 | CRL |
| Near Threatened | <i>Eleocharis acicularis</i> | Needle Spike-rush | Last in 1979 | HJK |
| Critically Endangered | <i>Epipogium aphyllum</i> | Ghost Orchid | Last in 1979 | HJK |
| Vulnerable | <i>Pilularia globulifera</i> | Pillwort | Last in 1979 | CRL |
| Least Concern | <i>Potamogeton polygonifolius</i> | Bog Pondweed | Last in 1979 | CRL |
| Least Concern | <i>Fumaria bastardii</i> | Tall Ramping-fumitory | Last in 1978 | HJK |

| | | | | |
|-----------------------|---|----------------------------|-----------------|-----|
| Least Concern | <i>Myriophyllum alternifolium</i> | Alternate Water-milfoil | Last in 1978 | CRL |
| Critically Endangered | <i>Lolium temulentum</i> | Darnel | Last in 1977 | CRL |
| Least Concern | <i>Lycopodium clavatum</i> | Stag's-horn Clubmoss | Last in 1977 | CRL |
| Nationally Rare | <i>Ophrys sphegodes</i> | Early Spider-orchid | once in 1975 | CRL |
| Least Concern | <i>Potamogeton friesii</i> | Flat-stalked Pondweed | Last in 1975 | CRL |
| Least Concern | <i>Ulmus plotii</i> | Plot's Elm | Last in 1974 | CRL |
| Extinct in the Wild | <i>Arnoseris minima</i> | Lamb's Succory | Last in 1971 | CRL |
| Least Concern | <i>Fumaria purpurea</i> | Purple Ramping-fumitory | Last in 1971 | HJK |
| Endangered | <i>Cephalanthera longifolia</i> | Narrow-leaved Helleborine | Last in 1970 | CRL |
| Least Concern | <i>Potamogeton obtusifolius</i> | Blunt-leaved Pondweed | Last in 1970s | CRL |
| Endangered | <i>Potamogeton praelongus</i> | Long-stalked Pondweed | Last in 1970s | CRL |
| Least Concern | <i>Ranunculus omiophyllus</i> | Round-leaved Crowfoot | Last in 1970s | HJK |
| Endangered | <i>Silene gallica</i> | Small-flowered Catchfly | Last in 1968-90 | CRL |
| Least Concern | <i>Eleocharis multicaulis</i> | Many-stalked Spike-rush | Last in 1968 | CRL |
| Near Threatened | <i>Pyrola minor</i> | Wintergreen | Last in 1968 | CRL |
| Least Concern | <i>Rosa caesia</i> | Glaucous Dog-rose | Data Deficient | CRL |
| Least Concern | <i>Rosa micrantha</i> | Small-flowered Sweet-briar | Data Deficient | CRL |
| Least Concern | <i>Rosa obtusifolia</i> | Round-leaved Dog-rose | Data Deficient | CRL |
| Least Concern | <i>Rosa sherardii</i> | Sherard's Downy-rose | Data Deficient | CRL |
| Least Concern | <i>Rosa stylosa</i> | Short-styled Field-rose | Data Deficient | CRL |
| Least Concern | <i>Rosa tomentosa</i> | Harsh Downy-rose | Data Deficient | CRL |
| Introduced since 1500 | <i>Prunella laciniata</i> | Cut-leaved Self-heal | Introduced | CRL |
| Introduced since 1500 | <i>Anisantha madritensis</i> | Compact Brome | Introduced | HJK |
| Introduced since 1500 | <i>Datura stramonium</i> | Thorn-apple | Introduced | HJK |
| Introduced since 1500 | <i>Festuca heterophylla</i> | Various-leaved Fescue | Introduced | CRL |
| Least Concern | <i>Vicia lutea</i> | Yellow-vetch | Introduced | CRL |
| Least Concern | <i>Arum italicum</i> ssp. <i>italicum</i> | Italian Lords and Ladies | Introduced | HJK |
| Least Concern | <i>Comarum palustre</i> | Marsh Cinquefoil | Introduced | CRL |
| Least Concern | <i>Convallaria majalis</i> | Lily-of-the-valley | Introduced | CRL |
| Least Concern | <i>Cyperus longus</i> | Galingale | Introduced | SEE |
| Least Concern | <i>Mespilus germanica</i> | Medlar | Introduced | CRL |
| Least Concern | <i>Parentucellia viscosa</i> | Yellow Bartsia | Introduced | SEE |
| Least Concern | <i>Persicaria bistorta</i> | Bistort | Introduced | CRL |
| Least Concern | <i>Polygonatum multiflorum</i> | Solomon's-seal | Introduced | CRL |
| Least Concern | <i>Stratiotes aloides</i> | Water soldier | Introduced | HJK |
| Nationally Scarce | <i>Polypogon monspeliensis</i> | Annual Beard-grass | Introduced | CRL |
| Vulnerable | <i>Trifolium ochroleucon</i> | Sulphur Clover | Introduced | CRL |
| Least Concern | <i>Aquilegia vulgaris</i> | Columbine | Not Scarce | CRL |
| Least Concern | <i>Asperula cynanchia</i> | Squinancywort | Not Scarce | CRL |
| Least Concern | <i>Avenula pratensis</i> | Meadow Oat-grass | Not Scarce | HJK |
| Least Concern | <i>Bromus racemosus</i> | Smooth Brome | Not Scarce | CRL |
| Least Concern | <i>Butomus umbellatus</i> | Flowering Rush | Not Scarce | SEE |
| Least Concern | <i>Calamagrostis epigejos</i> | Wood Small-reed | Not Scarce | CRL |
| Least Concern | <i>Cardamine amara</i> | Large Bitter-cress | Not Scarce | CRL |
| Least Concern | <i>Carex caryophyllea</i> | Spring-sedge | Not Scarce | SEE |
| Least Concern | <i>Carex divulsa</i> ssp. <i>divulsa</i> | Grey Sedge | Not Scarce | HJK |
| Least Concern | <i>Carex leporina</i> | Oval Sedge | Not Scarce | SEE |
| Least Concern | <i>Carex muricata</i> ssp. <i>pairae</i> | Prickly Sedge | Not Scarce | HJK |
| Least Concern | <i>Carex paniculata</i> | Greater Tussock-sedge | Not Scarce | SEE |

| | | | | |
|---------------|--------------------------------------|----------------------------------|--------------|-------|
| Least Concern | <i>Carex pilulifera</i> | Pill Sedge | Not Scarce | SEE |
| Least Concern | <i>Carex pseudocyperus</i> | Cyperus Sedge | Not Scarce | HJK |
| Least Concern | <i>Cerastium semidecandrum</i> | Little Mouse-ear | Not Scarce | HJK |
| Least Concern | <i>Ceratophyllum demersum</i> | Rigid Hornwort | Not Scarce | HJK |
| Least Concern | <i>Chrysosplenium oppositifolium</i> | Opposite-leaved Golden-saxifrage | Not Scarce | SEE |
| Least Concern | <i>Clinopodium ascendens</i> | Common Calamint | Not Scarce | to do |
| Least Concern | <i>Dactylorhiza incarnata</i> | Early Marsh-orchid | Not Scarce | SEE |
| Least Concern | <i>Dactylorhiza maculata</i> | Heath-spotted Orchid | Not Scarce | CRL |
| Least Concern | <i>Danthonia decumbens</i> | Heath-grass | Not Scarce | HJK |
| Least Concern | <i>Dryopteris affinis</i> | Golden-scaled Male-fern | Not Scarce | CRL |
| Least Concern | <i>Dryopteris carthusiana</i> | Narrow-leaved Buckler-fern | Not Scarce | CRL |
| Least Concern | <i>Echium vulgare</i> | Viper's-bugloss | Not Scarce | HJK |
| Least Concern | <i>Epipactis purpurata</i> | Violet Helleborine | Not Scarce | CRL |
| Least Concern | <i>Equisetum fluviatile</i> | Water Horsetail | Not Scarce | HJK |
| Least Concern | <i>Fumaria densiflora</i> | Dense-flowered Fumitory | Not Scarce | HJK |
| Least Concern | <i>Geranium columbinum</i> | Long-stalked Crane'sbill | Not Scarce | HJK |
| Least Concern | <i>Helleborus foetidus</i> | Stinking Hellebore | Not Scarce | HJK |
| Least Concern | <i>Helleborus viridis</i> | Green Hellebore | Not Scarce | HJK |
| Least Concern | <i>Hippocrepis comosa</i> | Horse-shoe Vetch | Not Scarce | HJK |
| Least Concern | <i>Hippuris vulgaris</i> | Mare's-tail | Not Scarce | HJK |
| Least Concern | <i>Hypericum androsaemum</i> | Tutsan | Not Scarce | SEE |
| Least Concern | <i>Hypericum humifusum</i> | Trailing St John's-wort | Not Scarce | CRL |
| Least Concern | <i>Hypericum maculatum</i> | Imperforate St John's-wort | Not Scarce | HJK |
| Least Concern | <i>Isolepis setacea</i> | Bristle Club-rush | Not Scarce | SEE |
| Least Concern | <i>Juncus acutiflorus</i> | Sharp-flowered rush | Not Scarce | CRL |
| Least Concern | <i>Juncus subnodulosus</i> | Blunt-flowered Rush | Not Scarce | CRL |
| Least Concern | <i>Lactuca virosa</i> | Prickly Lettuce | Not Scarce | HJK |
| Least Concern | <i>Lathraea squamaria</i> | Toothwort | Not Scarce | HJK |
| Least Concern | <i>Lathyrus nissolia</i> | Grass-vetchling | Not Scarce | SEE |
| Least Concern | <i>Lathyrus sylvestris</i> | Narrow-leaved Everlasting-pea | Not Scarce | HJK |
| Least Concern | <i>Lemna trisulca</i> | Ivy-leaved Duckweed | Not Scarce | SEE |
| Least Concern | <i>Luzula multiflora</i> | Heath Wood-rush | Not Scarce | HJK |
| Least Concern | <i>Lysimachia vulgaris</i> | Yellow Loosestrife | Not Scarce | HJK |
| Least Concern | <i>Oenanthe crocata</i> | Hemlock Water-dropwort | Not Scarce | CRL |
| Least Concern | <i>Orchis mascula</i> | Early-purple Orchid | Not Scarce | CRL |
| Least Concern | <i>Orobanche elatior</i> | Greater Broomrape | Not Scarce | SEE |
| Least Concern | <i>Paris quadrifolia</i> | Herb Paris | Not Scarce | SEE |
| Least Concern | <i>Petroselinum segetum</i> | Corn Parsley | Not Scarce | SEE |
| Least Concern | <i>Plantago coronopus</i> | Stag's-horn Plantain | Not Scarce | SEE |
| Least Concern | <i>Platanthera chlorantha</i> | Greater Butterfly-orchid | Not Scarce | SEE |
| Least Concern | <i>Polystichum aculeatum</i> | Hard Shield-fern | Not Scarce | CRL |
| Least Concern | <i>Polystichum setiferum</i> | Soft Shield-fern | Not Scarce | CRL |
| Least Concern | <i>Potamogeton perfoliatus</i> | Perfoliate Pondweed | Not Scarce | CRL |
| Least Concern | <i>Rosa rubiginosa</i> | Sweet-briar | Not scarce | CRL |
| Least Concern | <i>Rumex pulcher</i> | Fiddle Dock | Not Scarce | HJK |
| Least Concern | <i>Saxifraga granulata</i> | Meadow Saxifrage | Not Scarce | CRL |
| Least Concern | <i>Sedum telephium</i> | Orpine | Not Scarce | CRL |
| Least Concern | <i>Sorbus torminalis</i> | Wild Service-tree | Not Scarce | HJK |
| Least Concern | <i>Thymus pulegioides</i> | Large Thyme | Not Scarce | HJK |
| Least Concern | <i>Torilis nodosa</i> | Knotted Hedge-parsley | Not Scarce | HJK |
| Least Concern | <i>Typha angustifolia</i> | Lesser Bulrush | Not Scarce | CRL |
| Least Concern | <i>Valerianella carinata</i> | Keel-fruited Cornsalad | Not Scarce | HJK |
| Least Concern | <i>Vulpia myuros</i> | Rat's-tail Fescue | Not Scarce | HJK |
| Least Concern | <i>Thelypteris palustris</i> | Marsh Fern | Last in 1965 | CRL |

| | | | | |
|-----------------------|-----------------------------|--------------------|--------------|-----|
| Least Concern | <i>Viola palustris</i> | Marsh Violet | Last in 1965 | SEE |
| Extinct in the Wild | <i>Bromus interruptus</i> | Interrupted Brome | Last in 1931 | CRL |
| Endangered | <i>Chenopodium vulvaria</i> | Stinking Goosefoot | Last in 1927 | CRL |
| Critically Endangered | <i>Chenopodium urbicum</i> | Upright Goosefoot | Last in 1912 | CRL |
| Vulnerable | <i>Radiola linoides</i> | Allseed | Last in 1881 | CRL |